

A5 LED Street light

Product Description

A5 LED Street light is a new product in LED street lighting. As it has 18-90pcs LED light sources, luminous of it is really high to 325001m with a little power, which does one of the decisive factors performed as street lighting. Also, the color rendering index of A5 LED Street light is higher than many other lights, helping drivers to identify the different signs correctly and reduce the incidence of traffic accidents effectively. What's more, A5 LED Street light is competitive to other LED lights for its outstanding working ability against harsh environments such as strong wind, low temperature, and so on.

A5 LED Street light Features

- 1. Modular design, full power free combination, simple tool maintenance.
- 2. Honeycomb type heat dissipation and full structure heat dissipation technology, high performance heat dissipation.
- 3. The original high efficiency Cree chip, single light damage will not affect the whole light.
- 4. The longitudinal uniformity 0.95, more comfortable and safety for driver.
- 5.Intelligent constant current driver, over temperature, over voltage, over current protection, ensure product stability.
- 6. 10KV lightning protection design, to protect the product from the induction and conduction of lightning damage.
- 7. Support PWM dimming, timing dimming, support 0-10V dimming interface.



8. Water proof of IP68, avoid water vapor or corrosive gas erosion of chips and circuit boards.

9.AC90-305V, suitable for many countries.

Detailed Parameters


Model	A5-1	A5-2	A5-3	A5-4	A5-5
Power	50W	100W	150W	200W	250W
Light	18pcs	36pcs	54pcs	72 pcs	90 pcs
Source					
Luminous	>6500 lm	>13000 lm	>19500 lm	>26000 lm	>32500 lm
Chip	CREE				
Brand					
Driver	MOSO/PHILIPS/INVENTRONICS/MEAN WELL				
Brand					
Input	100-277V~50/60Hz				
Voltage					
ССТ	3000K-5700K				
Luminous	130 lm/w				
Efficiency					
CRI	>Ra70				
PF	>0.95				
Total	<15%				

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, WhatsApp: +8618267537265; Email: sales@seminglighting.com




	Zirejiang seming Electronic con, Eta
harmonic	
distortion	
IP Rating	lp67
Working	-20℃~+50℃
Temperat	
ure	
Wind	12
Proof	
Index	
Working	>50000h
time	
Pole	60mm
interface	

Product Display













Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, WhatsApp: +8618267537265; Email: sales@seminglighting.com




Application

Expressway, main road and branch road, park.







Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, WhatsApp: +8618267537265; Email: sales@seminglighting.com