



## SM-308 LED Flood Light

### Product Description

SM-308 LED Flood Lights are now often used to illuminate outdoor fields such as Billboard lighting, Flood light applications, Facade and building illumination and so on. The white beam of light produced by it is very much similar to daylight, which feels comfortable and eye-protecting while with comparable brightness level compared to traditional flood lights. Meanwhile, SM-308 LED Flood Lights are much more efficient and impervious to temperature fluctuations and environmental conditions. Unlike some other lights, it remains stable and functional even in rainy, dusty, strong windy conditions as it equipped with Die-casting aluminum housing with durable high-quality paint finish and tempered glass.

Being free of linear halogen and metal halide, SM-308 LED Flood Lights do not give out any harmful emissions. As a result, they are much friendlier to the environment and also to the health of people nearby. What's more, SM-308 LED Flood Lights costs little in maintenance thanks to its long lifetime. These all make them more ideal for our customers.

### Features

- Dustproof and jet-proof. It is of IP Rate 65, which means its excellent performance in waterproof and dustproof.
- IK Rate: 08. It is of excellent performance against shock.
- Easy installation, adjustment angle of 180degree.
- Pre-wired with 0.3m of rubber flex.



# Zhejiang Seming Electronic Co., Ltd

- SMD or COB LED's with high lumen performance.
- Die-casting aluminum housing with durable high-quality paint finish and tempered glass.
- Energy-saving alternative to traditional floodlights with comparable brightness level.
- Energy efficient replacement for linear halogen and metal halide fitting.
- Low maintenance costs thanks to long lifetime.

## Detailed Parameters

| Model Code | Power (W) | Input Voltage(V) | CRI | Luminous Flux (lm) | CCT (K)   | Dimension(mm) (L*W*H) |
|------------|-----------|------------------|-----|--------------------|-----------|-----------------------|
| FL01 LM    | 10        | 100-240          | >70 | 1000               | 3000-6500 | 137*87*60             |
| FL02 LM    | 20        | 100-240          | >70 | 2000               | 3000-6500 | 218*142*60            |
| FL03 LM    | 30        | 100-240          | >70 | 3000               | 3000-6500 | 274*188*73            |
| FL05 LM    | 50        | 100-240          | >70 | 5000               | 3000-6500 | 335*239*120           |
| FL07 LM    | 70        | 100-240          | >70 | 7000               | 3000-6500 | 405*288*130           |
| FL10 LM    | 100       | 100-240          | >70 | 10000              | 3000-6500 | 405*288*130           |

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265**; **Email: [sales@seminglighting.com](mailto:sales@seminglighting.com)**





# Zhejiang Seming Electronic Co., Ltd

|         |     |         |     |       |               |             |
|---------|-----|---------|-----|-------|---------------|-------------|
| FL15 LM | 150 | 100-240 | >70 | 15000 | 3000-<br>6500 | 480*330*160 |
| FL20 LM | 200 | 100-240 | >70 | 20000 | 3000-<br>6500 | 535*355*170 |

## Product Display





**Application:**

- Hard-to-reach areas (for example: facades, roof top billboards)

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265; Email: [sales@seminglighting.com](mailto:sales@seminglighting.com)**



# Zhejiang Seming Electronic Co., Ltd

---

- Billboard lighting
- Flood light applications
- Facade and building illumination
- Area lighting