



## SM-T19E LED Street Light

### Product Description

SM-T19E LED Street Light is better than normal LED lights for its large number light sources. Which can be different with specific model and enables different light intensity. Also, with the help of its advanced chip, the speed of it to emit light would be much better than other LED street lights in the market. And the color rendering index of SM-T19E LED Street Light is higher than many other lights, helping drivers to identify the different signs correctly and reduce the incidence of traffic accidents effectively. What's more, SM-T19E LED Street Light is competitive for its outstanding working ability against harsh environments such as heavy rain, low temperature, and so on.

### SM-T19E LED Street Light Features

1. Honeycomb briquette burning effect and the whole structure cooling technology,
2. Optional installation can be installed horizontally or vertically, adjustable by  $\pm 15^\circ$  in both directions
3. Double-coupling IP68 protection, highest waterproof level,
4. Intelligent constant current driving technology, long life span,
5. Ergonomic lighting distribution to achieve uniform illuminating effect,
6. Free modular serialization and full power range solution
7. Optional photocell



# Zhejiang Seming Electronic Co., Ltd

## Detailed Parameters

Input Voltage	Power Efficiency	Power Factor	Junction Temperature	CRI	Working Environment	Storage Temperature			
AC100V-277V	91%	0.95	< 80°C	Ra ≥ 70	-40 °C ~+50 °C 10%~90%RH	-40 °C ~+50 °C			
LED Life span	Surge Protection	CCT	LED Brand	Installation Diameter	Material	IP Rating			
>60000Hours	10KV/5KA	3000K, 4000K, 5000K, 5700K	Lumileds	60~76mm	Metal	LED Module IP68, Driver Box IP66/IP65			
Model	System Power	LM/W (Ultra High)	LM/W (High)	Initial Lumen s(Ultra High)	Initial Lumen s (High)	Product Size (mm)	Packaging dimension (mm)	N.W. (Kg)	G.W. (Kg)

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265; Email: [sales@seminglighting.com](mailto:sales@seminglighting.com)**



# Zhejiang Seming Electronic Co., Ltd

SM-T19E-1	40	155	115	6200	4600	695*330* 160	780*410* 230	7.2	8.4
	50	150	110	7500	5500	695*330* 160	780*410* 230	7.2	8.4
	60	145	105	8700	6300	695*330* 160	780*410* 230	7.2	8.4
SM-T19E-2	80	160	120	12800	9600	740*330* 160	830*410* 230	8.4	9.8
	100	155	115	15500	11500	740*330* 160	830*410* 230	8.4	9.8
	120	150	110	18000	13200	740*330* 160	830*410* 230	8.4	9.8
SM-T19E-3	120	160	120	19200	14400	820*330* 160	910*410* 230	9.6	11.2
	150	155	115	23250	17250	820*330* 160	910*410* 230	9.6	11.2
	180	150	110	27000	19800	820*330* 160	910*410* 230	9.6	11.2
SM-T19E-4	160	160	120	25600	19200	900*330* 160	990*410* 230	10.8	12.6
	200	155	115	31000	23000	900*330*	990*410*	10.8	12.6

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265; Email: [sales@seminglighting.com](mailto:sales@seminglighting.com)**



# Zhejiang Seming Electronic Co., Ltd

						160	230		
	240	150	110	36000	26400	900*330*	990*410*	10.8	12.6
						160	230		
SM-T19E-5	200	160	120	32000	24000	980*330*	1070*410	12.0	14.0
						160	*230		
	250	155	115	38750	28750	980*330*	1070*410	12.0	14.0
						160	*230		
	300	150	110	45000	33000	980*330*	1070*410	12.0	14.0
						160	*230		
SM-T19E-6	240	160	120	38400	28800	1060*330	1150*410	13.2	15.4
						*160	*230		
	300	155	115	46500	34500	1060*330	1150*410	13.2	15.4
						*160	*230		
	360	150	110	54000	39600	1060*330	1150*410	13.2	15.4
						*160	*230		
SM-T19E-7	280	160	120	44800	33600	1140*330	1230*410	14.4	16.8
						*160	*230		
	350	155	115	54250	40250	1140*330	1230*410	14.4	16.8
						*160	*230		

## Product Display

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265; Email: [sales@seminglighting.com](mailto:sales@seminglighting.com)**



# Zhejiang Seming Electronic Co., Ltd




White




CE CB RoHS

## [Lighting Distribution Curve]




T1S3501

IESNA Type I Short




T1S3100

IESNA Type I Short




T3M3910

IESNA Type III Medium




T2M3702

NA Type II Medium




T3M2701

IESNA Type III Medium



T4M5703

IESNA Type IV Medium



T5S3040

IESNA Type VS Short

Application



# Zhejiang Seming Electronic Co., Ltd



Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265**; **Email: [sales@seminglighting.com](mailto:sales@seminglighting.com)**