



## SM-T1K LED Street Light

### Product Description

SM-T1K LED Street Light is better than normal LED lights for its large number light sources. Which can be different with specific model and enables different light intensity. Also, with the help of its advanced chip, the speed of it to emit light would be much better than other LED street lights in the market. And the color rendering index of SM-T1K LED Street Light is higher than many other lights, helping drivers to identify the different signs correctly and reduce the incidence of traffic accidents effectively. What's more, SM-T1K LED Street Light is competitive for its outstanding working ability against harsh environments such as heavy rain, low temperature, and so on.

### SM-T1K LED Street Light Features

1. Easy installation with hold hoop, elevation 20°,
2. All metal structure, built-in driver,
3. IP68 LED engine: highest waterproof rating,
4. Photocontrol equipped for better energy-saving performance,
5. Ergonomic lighting distribution to achieve uniform illuminating effect

### Detailed Parameters



# Zhejiang Seming Electronic Co., Ltd

Input Voltage	Power Efficiency	Power Factor	Junction Temperature	CRI	Working Environment	Storage Temperature			
AC100V-240V	85%(20W) 88%(35W)	0.95	<80°C	Ra ≥ 70	-40 °C ~+50 °C 10%~90%RH	-40 °C ~+50°C			
LED Life span	Surge Protection	CCT	LED Brand	Material	IP Rating				
>60000Hours	15KV	3000K, 4000K, 5000K, 5700K	Customized chips from world-leading supplier	Metal	Optical set IP68, Whole Fixture IP67				
Model	System Power	LM/W (Ultra High)	LM/W (High)	Initial Lumens (Ultra High)	Initial Lumens (High)	Product Size (mm)	Packaging dimension (mm)	N.W. (Kg)	G.W. (Kg)
SM-T1K	20	143	133	2860	2660	380*125*105	405*175*150	1.8	2.0
	35	128	118	4480	4130	380*125*105	405*175*150	1.8	2.0

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +8618267537265, **WhatsApp: +8618267537265**; **Email: [sales@seminglighting.com](mailto:sales@seminglighting.com)**



# Zhejiang Seming Electronic Co., Ltd

						5			
--	--	--	--	--	--	---	--	--	--

## Product Display



White




Black



Gray

## [Lighting Distribution Curve]



T2L2209

IESNA Type II Long

Application